Nam	e:	Date:
Skill Key: A=Done correctly B=Done incorrectly/not done		
Α	В	Informed consent obtained (risks, benefits, consent given)
Α	В	Place the patient in slight Trendelenburg position
Α	В	Flush the ports on the catheter with sterile saline
Α	В	Clamp each port (okay to keep brown port open)
Α	В	Remove brown port from end of catheter to accommodate wire
Α	В	Clean the area with chlorhexidine
Α	В	Get in sterile gown, gloves, hat, and mask
Α	В	Drapes area in usual sterile fashion (must be full body drape)
Α	В	The ultrasound probe is properly set up with sterile sheath and sonographic gel
Α	В	The vein is localized using anatomical landmarks with the US machine
Α	В	The skin is anesthetized with 15 lidocaine in a small wheal
Α	В	The deeper structures are anesthetized
Α	В	Using the large needle or catheter-syringe complex, cannulate the vein while
_		aspirating (must be done with US)
Α	В	Remove the syringe needle or advance the catheter into the vein removing both the
_		syringe and needle
Α	В	Advance the guidewire into the vein no more than approximately 12-15 cm
Α	В	Knick the skin with the scalpel to advance the dilator
Α	В	Advance the dilator over the guidewire and dilate the vein
A	<u>В</u> В	Advance the triple lumen over the guidewire
-		Never let go of the guidewire
Α	В	Once the catheter is inserted, remove the guidewire in its entirety
Α	В	Advance the catheter approximately to 14-16 cm on the right side (16-18 cm on the left side)
Α	В	Ensure there is blood flow/flush each port
A	В	Secure the catheter in place (suture or staple)
A	В	Place dressing over catheter
Α	В	Get a chest x-ray
A	В	Notify that the catheter is ok to use
A	В	Maintain sterile technique
Maximum total score: (27)		
Total Score		
Total Score		
Comments:		
Evaluator:		